## Ricoh Aficio MP W2400/MP W3600 Wide Format Multifunctional Productivity



quick

in a Single Footprint







versatile





## Ricoh Aficio MP W2400/MP W3600

Wide format digital imaging that fits your budget and your floor plan.

When you think of wide format document production, the words "small space" don't usually come to mind. Until you discover the RICOH®Aficio® MP W2400/MP W3600 wide format systems. Digital imaging technology means you can securely print, copy, scan, distribute and archive with one surprisingly compact unit. Saving space is great. Saving time is even better.



## **FastAffordableDigitalVersatile**

### **Step Up to Simplicity**

For all of their capabilities, the Ricoh Aficio MP W2400/ MP W3600 systems are refreshingly easy to use.

- Produce and distribute documents quickly and easily using the large, backlit control panel with two types of display–simple and even simpler.
- Handling awkward wide documents is simple with multiple input and output choices.
- Change paper in a snap thanks to the industry's easiest front-loading paper roll trays and flanges, and optional paper cassettes.
- Increase copy/scan/print productivity by editing documents or stamping them
  with the dates, page numbers or other data prior to filing or retrieving
  documents for reprinting.



Why rely on costly, time-consuming outsourcing? The Ricoh MP W2400/MP W3600 systems bring high-quality production in house and under your control.

- Produce crisp, clear black & white documents with 600 dpi resolution.
- Create vivid details and fills with 256-grayscale levels.
- Print copies that have the quality of an original. Simply select the type of the original—Text/Photo, Drawing or Special—and the Ricoh MP W2400/MP W3600 automatically adjusts to produce sharp, clear reproductions.

### **Expand Your Printing Capabilities**

The Ricoh Aficio MP W2400/MP W3600 systems give you the choice of two controller options, so you can configure the system to meet the specific needs of your operation.

### **Embedded Printer Controller Option**

- Maintain a small, single footprint and easily handle the most common file formats with the embedded printer option. This is a simple solution for smaller architectural or engineering firms and workgroups.
- Combine documents from different applications, and manage, distribute and retrieve documents without having to open specific applications.
- Check toner and paper levels, change print queues, merge jobs, receive e-mail error notifications, and more right from your desktop using the WebImageMonitor utility.
- Web printing allows job building from a variety of files and directories.
- Print to Document Server to build job sets from prints, copies and scans remotely or at the system.

### **External RW-3600 Printer Controller**


- Operate with maximum speed, advanced capabilities and the flexibility to print directly from CAD, Windows, Mac, Unix and AS/400 operating systems; the optional RW-3600 controller is an ideal network solution.
- Scan-to-DWF and output DWF documents with the DWG/DXF/DWF option without having to use AutoCAD.
- Create advanced job submission parameters, including adjusting pen widths and adding stamps.
- Use the optional PLOTBASE and PLOTCLIENT server software to:
  - Print documents up to 49 feet long.
- Plot drawings directly to the Ricoh MP W2400 or Ricoh MP W3600, eliminating the need to print on slow, costly inkjet plotters.
- Prioritize print jobs automatically from multiple users across your organization.
- Manage usage by account for unlimited client seats.
- Offer your clients the convenience of transmitting print jobs from remote locations using the Internet via PLOTCLIENT Web.



The large, backlit, easy-to-read control panel puts extensive capabilities at your fingertips.



Choose the **Embedded Print Controller** option for fast, easy and direct network printing of the most common file formats.



The optional external **RW-3600 Print Controller** supports more extensive file formats.

## **PrintCopyScan**

# Choose the Scanning Option that's Right for You

Dramatically improve productivity and reduce costs with your choice of scanning options.

### **Embedded Scanner with GW Architecture**

- Maintain a small footprint and gain the capability of previewing up to a 12" x 18" image prior to transmission.
- Scan-to-Email: Eliminate postage and overnight delivery costs by scanning documents and instantly e-mailing them anywhere in the world. Access unlimited e-mail addresses directly from your company's address book to simplify the process even further.
- Scan-to-Folder: Save space and time by converting paper copies to electronic files and store them on the hard drive. Designated network users can easily find, retrieve, review and update the files.
- Scan-to-FTP: Send large files quickly when you bypass the mail server.
- Scan-to-URL and Scan-to-NCP (Novell protocol): Reduce network congestion with Scan-to-URL and Scan-to-NCP, which e-mails a URL or NCP link to access a document rather than sending an entire file; documents are available for remote Web retrieval 24/7 by authorized users.

### **RW-3600 Controller with Scan Option**

- Take productivity to a whole new level with the advanced capabilities of the RW-3600 controller scan option.
- Instantly view full images for quick cleanup or more extensive image editing and merging.
- Add documents to job sets anywhere in any directory with the "drag and drop" feature.
- Capture metadata at the time of scanning for easy lookup and retrieval.
- Scan to DWF, PDF, mutli- and single-page in a number of raster file formats.

### Store, Access and Edit with Ease

Maximize storage, minimize effort and realize savings with the Ricoh Aficio MP W2400/MP W3600's systems' innovative Document Server.

 Quickly and easily store documents on the standard 80GB hard drive Document Server for up to 180 days. And, instantly access documents, work files and projects in progress from the Ricoh systems directly or from your PC.

## **Put an Emphasis on Security**

## Safeguard proprietary information with robust security enhancement.

- Keep files secure with Windows Authentication, which requires user names and passwords to print specific files.
- Prevent attempts to intercept data during transmission using the data encryption tool.
- Eliminate the possibility of recreating data from the unit's hard drive with the optional data overwrite feature.



## Your Environmental Partner






Ricoh continues its long-standing commitment to developing office solutions with environmentally friendly and superior energy- and supply-saving features, without compromising productivity, including:

- Quick Start-Up (QSU) Technology
- Power-Saving Sleep Mode
- Duplex and Combine Copy Modes
- Toner Recycling
- Low Noise Levels
- Minimal Ozone Emissions
- Restriction of Hazardous Substances Compliant (RoHS)


## **Powerful Productivity in a Compact Unit**



### **Embedded Controller**



## **RW-3600 External Controller**



WEB PRINTING

## Ricoh Aficio MP W2400/MP W3600

### **System Specifications**

**Engine** Configuration
Copy/Printing Process Paper Source

Desktop

Electro-photographic printing

Paper cassette tray (optional)

18 presets; 25% to 400% by

1GB (Shared with Copy/Printer/

Standard connection to external

PC for RW-3600 controller Maximum: 36" x 590" (49 ft.); Minimum: 8.5" x 8.5"; 36" x 78" bypass

(Plain Paper D-size LEF)

(Plain Paper D-size LEF)

Top; Top Rear (curled); Rear

Top: 50 Sheets

Bottom: 40 Sheets

120 V 15 A 60 Hz

42.5" x 25" x 22"

235 lbs.

1 to 999 (ten key input)

Synchronized, preset cut,

Scanner applications)

MP W3600: 6 cpm; 3.14 ips (D-Size) MP W2400: 4 cpm; 2.36 ips (D-Size)

or 2 roll paper cassette

Less than 120 Seconds

34 seconds (E-Size)

600 dpi x 600 dpi

0.1% increments

256 levels

variable cut

80GB

2 levels

drawer (optional)

Warm-Up Time First Copy Copying Speed

Grayscale Gravscale Printing Reduction/Enlargement

**Multiple Copies Cutting Method** 

Standard Memory Standard Hard Drive **PC** Interface

Original/Copy Size

Original Exits Copy Exits

Power Source

Dimensions (W x D x H) Weight

#### **Copier Features**

- Standard Document Server: Store, copy, print or scan documents
- Drawing mode (Default), Text mode, Text/Photo mode;
   Other modes: Photo mode, Generation mode, Pasted Original mode, Background Line mode
- Auto Paper Selection (APS) • Cut sheet tray (option)
- Job program (up to 10 jobs)
- Job Interrupt
- Auto Reduce/Enlargement, User Auto Reduce/Enlargement, Preset Reduce/Enlargement, Zoom, Size Magnification, Directional Magnification, Directional Size Magnification, Fine Magnification
- Image Overlay, Format Overlay, Negative / Positive, Mirroring, Double Copy, Combine
- Stamping
- Electronic Sort
- · Preset stamps, User preset stamps, Date stamp, Page stamp

#### **Copier Options**

Rear Stacker Paper Cassette Tray Roll Feeder Table

Adjustable up to 12" x 18". Holds up to 250 sheets (17lb-22lb.) 1 or 2 roll feeder options; holds rolls 36" x 500 Dimensions (W x H x D) 42.5" x 28.3" x 27.5" Weight 154 lbs (1 roll) 158.7 lbs (1 roll) 158.7 lbs (2 rolls) 2 holders, 36" x 500';

Up to 20 D-size sheets

**Roll Holders** max roll diameter 6.88 **Embedded Printer Controller (Option)** 

Controller Board Embedded Print Speed MP W2400: 2 ppm E-size SEF, 4 ppm D-size SEF

MP W3600: 3 ppm E-size SEF, 6 ppm D-size SEF Up to 600 dpi

80GB (Shared with other applications such as Copy/Scanner) RPCS, PS3 Emulation, HDI Supported Drivers Supported File Formats HP-GL 1/2, HP-RTL, TIFF, CALS, PDF **Network Protocol** TCP/IP. IPX/SPX. AppleTalk

### **Embedded Print Controller Features** Pen Setting Stamp Setting

- Auto Paper Select Media Selection
- Roll Select

**Print Resolution** 

- Limitless Paper Feed Output Tray Select
- Multiple Print Sets
- Locked Print Sample Print
- Border Setting Mirror Setting
- Magnification
- Stamp Setting
  - Language Setting Set up Launcher Online Help Menu
  - Combine Images Document Server
  - Remote Print via Internet
  - Set X and Y Axis
  - Transparency Mode · Data Overwrite Security

#### **Embedded Scanner (Option)**

Controller Board Scan Speed

Embedded MP W2400: 4 spm D-size: 2.36 ips 2 spm E-size

MP W3600: 6 spm D-size: 3.14 ips 3 spm E-size

- Scan-to-Email Scanner Features
  - Scan-to-Folder Scan-to-URI
  - Scan-to-NCP
  - · Twain Scanning TIFE PDF and IPEG Up to 600 dpi

Scan Resolution

File Formats

### **RW-3600 Printer Controller (Option)**

**PC Server Requirements** 

Controller Type

External PC Server (PC not included must be purchased separately from appropriate vendor) Windows 2000 Professional SP4.

**PC** Requirements

Processor

**Unix Support** 

**Operating System** 

Windows XP Professional SP2 or Window Vista: Business, Enterprise or Ultimate Recommended: Intel Pentium 4 with 2 GHz or higher

**PCI Interface Slot** 2.0 or higher x 1 with 3.3 V or 5 V auto adaptive, maximum load 5A Min. 2GB for 49' printing/scanning RAM Memory

19.68' or less: Min 1024 MB Hard Drive 20GB free space 10/100Base-T Ethernet, TCP/IP **Network Interface** 

configuration 1024 x 768 (Recommended) **Network Protocol** TCP/IP, IPX/SPX, Ipr/Ipq, HTML,

SMB (as of Windows 2000) MP W3600: 6 ppm @A1/D size (LEF) **Print Controller** 3 ppm @A0/E size (SEF)

MP W2400: 4 ppm @A1/D size (LEF) 2 ppm @A0/E size (SEF) Supported file formats: Standard:

HP-GL, HP-GL2, HP-RTL, TIFF, DWG Calcomp906/907, WMF, BMP, CALS(1&2), T6X, CIT, PCX, RLC, DWG/DXF/DWF (with installation of AutoCAD application) Redhat Linux 6.x-7.1

HP-UX 10.x/11.x Sun Solaris 2.6/7.x/8.x

SCO OpenServer 5.x (up to 5.06)

Mac Support OS8 6-10 4

### **RW-3600 Print Controller Features**

- Auto paper selectMedia Selection
- Roll Select
- · Limitless Paper Feed
- Image Rotation
- Output Tray Select
- Multiple Print Sets
- Locked Print Sample Print

Scan size

File format

Scanner software

Controller Type

scan speed

Resolution

- Magnification
- Border Setting
- Mirror Setting
- Pen settingStamp Setting
  - Language Setting
  - Set up LauncherOnline Help Menu
  - Combine Images
  - Document Server · Remote Print via Internet
  - Print Queue Management
  - Simulataneous Scanning and
  - Printing
  - Priority/Account Printing

### **RW-3600 Scanner (Option)**

Controller Type Maximum continuous scan speed

External PC Server MP W2400: 6 spm D-size SEF(200dpi, 1 bit)

MP W3600: 6 spm, D-size SEF(200dpi, 1 bit)

Resolution 150 - 600 dpi

(1200 dpi with enhancement) 8.26" x 11.6"-

36" x 11.8' 36" x 19.2' with SP setting 36" x 49.2' with SP setting

TIFF (single/multi page, uncompressed/G3/G4), T6X, BMP,

RLC, HP-RTL, PCX, CALS1&2 Options: PDF (single/multi page), DWF SCANTOOL software

Same as printer controller spec. MP W2400: 4spm/A1SEF, D-size Maximum continuous SEF(200dpi, 1bit) MP W3600: 6spm/A1SEF, D-size

(1200dpi with enhancement)

SEF(200dpi, 1bit) 150 – 600dpi

#### **Scanner Features**

- Contrast SettingReading Area Setting
- Continuous Input
- Mirror
- Invert
- Rotation
- Scan Modes • Integrated Editor
- Scan-to-Folder
- Scan-to-Email
- Scan-to-FTP
- Scan-to-NCP
- Archiving and Retrieval Image Editing
- -Change View -Add and Cut -Merge
- Scan-to-Document Management System
- Preview Scans-Full Screen

### **Controller Options**

Scan option

DWG/DXF/DWF: Scan to DWF (w/scan option) Print DWG/DXF without AutoCAD application

True Adobe PostScript 3 CGM (Computer Graphics Metafile)

RICOH

Ricoh Corporation, Five Dedrick Place, West Caldwell, NJ 07006
Ricoh' and the Ricoh Logo are registered trademarks of Ricoh Company, Ltd. Windows\* and Windows\* 95/98/Me/NT4.02000/XP are registered trademarks of Microsoft Corporation. Macintosh\*, Mac\* OS and Applicable are registered trademarks of Apple Computer, Inc. Adobe\* and PostScript\* are registered trademarks of Adobe Systems, Inc. PCL\* is a registered trademark of Hewlett-Packard Company, RPCS™ is a trademark of Ricoh Company, Ltd. All other trademarks are the property of their respective owners. Print speed may be affected by network, application or PC performance. Specifications and external appearances are subject to change without notice. Products are shown with optional feature.

Printed in U.S.A. on recycled paper because Ricoh cares













**Bluetooth**